



Product Service

CERTIFICATE

No. Z2 022757 1202 Rev. 00

Holder of Certificate: **HAGS Aneby AB**

Grännavägen 7
578 23 Aneby
SWEDEN

Certification Mark:



Product: **Playground equipment**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 713319017-09

Valid until: 2029-08-07

Date, 2024-09-02

(Michael Weber)

CERTIFICATE

No. Z2 022757 1202 Rev. 00

Model(s):

UniMini:

Aoede; Caliban; Callisto; Ceres; Deimos; Elara; Fenrir; Ganymede; Io

UniPlay:

Leda; Luna; Metis; Mimas; Pandora; Phobos; Prometheus; Sinope; Sycorax; Tethys

Parameters:

UniMini:

Combination playground systems consist of platforms, barrier, guardrail, slides and nets and post in colour and anchoring options.

Module dimension: 0.67 m

Steel material: galvanized and powder coated.

Post and beam: Laminated timber, steel tubing 70 mm.

Barrier material: Wood, steel, HPL

Floor material: Wood, steel, composite-steel (recycled polyethene), Polyurethane (PUR)

Roof material: Wood, steel, HPL, polypropylene

Chain: Hot galvanized chain with covering in solid polyurethane

Slide surface: Stainless steel or rotary-cast polyethylene

UniPlay:

Combination playground systems are comprised of platforms barriers, bars, railings, and posts in colour options and anchoring options.

Module dimensions: 1.00 meter

Steel material: Galvanized, stainless steel and powder coated.

Post and beam: Laminated timber, steel tubing Ø108.5 mm.

Barrier material: Wood, steel, HPL

Floor material: Wood, steel, composite-steel (recycled polythene) or HPL

Roof material: Wood, steel, polypropylene, HPL

Chain: Hot galvanized chain with covering in solid polyurethane.

Rope: Braided Nylon Rope

Anchoring:

Sunken steel base/frame

Concrete base

Concrete foundation on site, cast in place.

Anchoring on concrete (expansion bolt)



CERTIFICATE

No. Z2 022757 1202 Rev. 00

**Tested
according to:**

DIN EN 1176-1:2017
DIN EN 1176-3:2017
EN 1176-1:2017/A1:2023
EN 1176-3:2017